



черный/ ask						
номер артикула	исло жил	и сечение	аружный диаметр	ес меди	ес кабеля	
е о.	2	е о	о е -	С /к	е /к	к /к
	2	о	о е -	к /к	к /к	к /к
200 500	2	2	0,5	15,1	,0	1 ,0
200 501	2	0,5		1 ,	,0	78,0
200 502	2	0,5		20,2	,0	1,0
200 50	8	2	0,5	21,1	122,0	5 5,0
200 50	10	2	0,5	22,	152,0	727,0
200 505	12	2	0,5	2 ,	18 ,0	817,0
200 50	1	2	0,5	27,8	2 8,0	8 ,0
200 507	20	2	0,5	0,	2 ,0	1.0 7,0
200 508	2	2	0,5	2,	5 ,0	1.1 8,0
2001 20	2	2	0,75	15,8	5,0	2,0
2001 21	2	0,75		17,5	8 ,0	5 ,0
2001 22	2	0,75		21,7	12 ,0	572,0
2001 2	8	2	0,75	22,	1 2,0	8,0
2001 2	10	2	0,75	2 ,	200,0	88 ,0
2001 25	12	2	0,75	2 ,8	2 1,0	7 ,0
2001 2	1	2	0,75	2 ,	18,0	1.15 ,0
2001 27	20	2	0,75	2,7	5,0	1.2 ,0
2001 28	2	2	0,75	,7	72,0	1. 02,0
2001 2	2	2	1	1 ,5	55,0	12,0
2001 0	2	1		1 ,0	10 ,0	505,0
2001 1	2	1		22,	15 ,0	8,0
2001 2	8	2	1	2 ,8	205,0	805,0
2001	10	2	1	2 ,7	252,0	27,0
2001	12	2	1	28,	0 ,0	1.0 1,0
2001 5	1	2	1	1,5	0 ,0	1.281,0
2001	18	2	1	,	52,0	1. 50,0
2001 7	20	2	1	,5	,0	1. 7,0
2001 8	2	2	1	7,	00,0	1.877,0
2001	2	2	1,5	18,8	7 ,0	2,0
2001 0	2	1,5		20,	1 1,0	578,0
2001 1	2	1,5		2 ,5	212,0	801,0
2001 2	8	2	1,5	2 ,7	281,0	1 ,0
2001	10	2	1,5	2 ,1	,0	1.007,0
2001	12	2	1,5	0,	1 ,0	1.1 5,0
2001 5	1	2	1,5	,5	552,0	1. ,0
2001	20	2	1,5	8,	8 ,0	1.777,0
2001 7	2	2	1,5	1,	822,0	1. 10,0
200 5 0	2	2	2,5	21,0	11 ,0	7,0
200 5 1	2	2,5		2 ,	220,0	57,0
200 5 2	2	2,5		2 ,5	27,0	580,0
200 5	8	2	2,5	1,2	5,0	7 ,0
200 5	10	2	2,5	,	5 0,0	870,0
200 5 5	12	2	2,5	,2	5,0	0,0
200 5	1	2	2,5	1,		1.1 5,0
200 5 7	20	2	2,5	5,	1.0 ,0	1. 8,0
200 5 8	2	2	2,5	8,	1.280,0	1.812,0

N UCOM-	CT C	E- (ST)	SW	-	MF 500V/-	0 С синий/	е	
200 50			2	2	0,5	15,1	,0	1 ,0
200 510			2	0,5		1 ,	,0	78,0
200 511			2	0,5		20,2	,0	1,0
200 512			8	2	0,5	21,1	122,0	5 5,0
200 51			10	2	0,5	22,	152,0	727,0
200 51			12	2	0,5	2 ,	18 ,0	817,0
200 515			1	2	0,5	27,8	2 8,0	8 ,0
200 51			20	2	0,5	0,	2 ,0	1.0 7,0
200 517			2	2	0,5	2,	5 ,0	1.1 8,0
2001 8			2	2	0,75	15,8	5,0	2,0
2001			2	0,75		17,5	8 ,0	5 ,0
2001 50			2	0,75		21,7	12 ,0	572,0
2001 51			8	2	0,75	22,	1 2,0	8,0
2001 52			10	2	0,75	2 ,	200,0	88 ,0
2001 5			12	2	0,75	2 ,8	2 1,0	7 ,0
2001 5			1	2	0,75	2 ,	18,0	1.15 ,0
2001 55			20	2	0,75	2,7	5,0	1.2 ,0
2001 5			2	2	0,75	,7	72,0	1. 02,0
2001 57			2	2	1	1 ,5	55,0	12,0
2001 58			2	1		1 ,0	10 ,0	505,0
2001 5			2	1		22,	15 ,0	8,0
2001 0			8	2	1	2 ,8	205,0	805,0
2001 1			10	2	1	2 ,7	252,0	27,0
2001 2			12	2	1	28,	0 ,0	1.0 1,0
2001			1	2	1	1,5	0 ,0	1.281,0
2001			18	2	1	,	52,0	1. 50,0
2001 5			20	2	1	,5	,0	1. 7,0
2001			2	2	1	7,	00,0	1.877,0
2001 7			2	2	1,5	18,8	7 ,0	2,0
2001 8			2	1,5		20,	1 1,0	578,0
2001			2	1,5		2 ,5	212,0	801,0
2001 70			8	2	1,5	2 ,7	281,0	1 ,0
2001 71			10	2	1,5	2 ,1	,0	1.007,0
2001 72			12	2	1,5	0,	1 ,0	1.1 5,0
2001 7			1	2	1,5	,5	552,0	1. ,0
2001 7			20	2	1,5	8,	8 ,0	1.777,0
2001 75			2	2	1,5	1,	822,0	1. 10,0
200 5			2	2	2,5	21,0	11 ,0	7,0
200 5 0			2	2,5		2 ,	220,0	57,0
200 5 1			2	2,5		2 ,5	27,0	580,0
200 5 2			8	2	2,5	1,2	5,0	7 ,0
200 5			10	2	2,5	,	5 0,0	870,0
200 5			12	2	2,5	,2	5,0	0,0
200 5 5			1	2	2,5	1,	857,0	1.1 5,0
200 5			20	2	2,5	5,	1.0 ,0	1. 8,0
200 5 7			2	2	2,5	8,	1.280,0	1.812,0
N UCOM	CT C	E- (ST)	SW	-	T MF	черный/	ask	
200 518			2	0,5		15,7	5,0	187,0
200 51				0,5		1 ,2	85,0	2 7,0
200 520			8	0,5		2 ,	1 ,0	01,0

