



черный/ ask						
200 580	1	2	0,5	10,	15,0	210,0
200 581	2	2	0,5	1 ,1	25,0	280,0
200 582	2	0,5	15,5	5,0		,0
200 58	2	0,5	1 ,	5,0		2,0
200 58	8	2	0,5	20,0	8 ,0	1,0
200 585	10	2	0,5	21,8	10 ,0	502,0
200 1	12	2	0,5	2 ,0	125,0	577,0
200 87	1	2	0,5	2 ,	1 ,0	7 2,0
200 88	20	2	0,5	28,	202,0	888,0
200 8	2	2	0,5	0,8	2 5,0	1.010,0

2001858	1	2	0,75	11,	20,0	202,0
200185	2	2	0,75	15,1	5,0	02,0
20018 0	2	0,75	1 ,	5,0		5 ,0
20018 1	2	0,75	20,	5,0		7,0
20018 2	8	2	0,75	21,1	12 ,0	507,0
20018	10	2	0,75	2 ,0	151,0	8,0
20018	12	2	0,75	2 ,	18 ,0	81 ,0
20018 5	1	2	0,75	27,	2 ,0	71,0
20018	20	2	0,75	0,	01,0	1.101,0
20018 7	2	2	0,75	2,7	,0	1.255,0

20018 8	1	2	1	11,7	25,0	22 ,0
20018	2	2	1	15,8	7,0	57,0
2001 7	2	1	1 ,	,0		17,0
2001870	2	1	17,5	88,0		,0
2001 77	5	2	1	20,	101,0	512,0
2001871	2	1	21,7	125,0		577,0
2001872	8	2	1	22,	1 8,0	807,0
200187	10	2	1	2 ,2	20 ,0	2 ,0
200187	12	2	1	2 ,8	250,0	7,0
2001875	1	2	1	2 ,8	,0	1.127,0
200187	18	2	1	2,0	5,0	1.207,0
2001877	20	2	1	2,5	,0	1.2 ,0
2001878	2	2	1	,	,0	1.501,0

200187	1	2	1,5	12,	7,0	25 ,0
2001880	2	2	1,5	1 ,8	5,0	2,0
2001881	2	1,5	1 ,	122,0		50 ,0
2001882	2	1,5	2 ,	180,0		7,0
200188	8	2	1,5	2 ,	2 0,0	8 8,0
200188	10	2	1,5	27,2	2 7,0	71,0
2001885	12	2	1,5	2 ,2	5 ,0	1.0 5,0
200188	1	2	1,5	2,7	72,0	1.21 ,0
2001887	20	2	1,5	5,5	587,0	1. 2,0
2001888	2	2	1,5	,1	702,0	1. 2,0

200 5	1	2	2,5	1 ,7	55,0	207,0
200 5 7	2	2	2,5	20,0	10 ,0	01,0
200 5 8	2	2,5	22,1	200,0		8,0
200 5	2	2,5	27,5	2 ,0		,0
200 70	8	2	2,5	2 ,1	,0	70,0
200 71	10	2	2,5	1,7	1,0	720,0
200 72	12	2	2,5	,1	58 ,0	8 1,0
200 7	1	2	2,5	8,1	777,0	1.017,0
200 1	20	2	2,5	2,	71,0	1. 01,0
200 15	2	2	2,5	5,	1.1 ,0	1. 17,0

200 1	1	2	2,5	1 ,7	55,0	207,0
200 17	2	2	2,5	20,0	10 ,0	01,0
200 18	2	2,5	22,1	200,0		8,0
200 1	2	2,5	27,5	2 ,0		,0
200 20	8	2	2,5	2 ,1	,0	70,0
200 21	10	2	2,5	1,7	1,0	720,0
200 22	12	2	2,5	,1	58 ,0	8 1,0
200 2	1	2	2,5	8,1	777,0	1.017,0
200 2	20	2	2,5	2,	71,0	1. 01,0
200 25	2	2	2,5	5,	1.1 ,0	1. 17,0

номер артикула	исло жил и сечение		аружный диаметр	ес меди	ес кабеля
е о.	2	е о	о е -	С k /k	е k /k
	2	о		k /k	k /k

N UCOM-	CT C	E- (ST)	SW	- 500V/- 0 C синий/	е
200 0			1 2 0,5	10,	15,0 210,0
200 1			2 2 0,5	1 ,1	25,0 280,0
200 2			2 0,5	15,5	5,0 ,0
200			2 0,5	1 ,	5,0 2,0
200			8 2 0,5	20,0	8 ,0 1,0
200 5			10 2 0,5	21,8	10 ,0 502,0
200			12 2 0,5	2 ,0	125,0 577,0
200 7			1 2 0,5	2 ,	1 ,0 7 2,0
200 8			20 2 0,5	28,	202,0 888,0
200			2 2 0,5	0,8	2 5,0 1.010,0

200188			1 2 0,75	11,	20,0 202,0
20018 0			2 2 0,75	15,1	5,0 02,0
20018 1			2 0,75	1 ,	5,0 5 ,0
20018 2			2 0,75	20,	5,0 7,0
20018			8 2 0,75	21,1	12 ,0 507,0
20018			10 2 0,75	2 ,0	151,0 8,0
20018 5			12 2 0,75	2 ,	18 ,0 81 ,0
20018			1 2 0,75	27,	2 ,0 70,0
20018 7			20 2 0,75	0,	01,0 1.101,0
20018 8			2 2 0,75	2,7	,0 1.255,0

20018			1 2 1	11,7	2 ,0 22 ,0
2001 00			2 2 1	15,8	7,0 57,0
2001 85			2 1	1 ,	,0 17,0
2001 01			2 1	17,5	88,0 ,0
2001 8			5 2 1	20,	101,0 512,0
2001 02			2 1	21,7	125,0 577,0
2001 0			8 2 1	22,	1 8,0 807,0
2001 0			10 2 1	2 ,2	20 ,0 2 ,0
2001 05			12 2 1	2 ,8	250,0 7,0
2001 0			1 2 1	2 ,8	,0 1.127,0
2001 07			18 2 1	2,0	5,0 1.201,0
2001 08			20 2 1	2,5	,0 1.2 ,0
2001 0			2 2 1	,	,0 1.501,0

2001 10			1 2 1,5	12,	7,0 25 ,0
2001 11			2 2 1,5	1 ,8	5,0 2,0
2001 12			2 1,5	1 ,	122,0 50 ,0
2001 1			2 1,5	2 ,	180,0 7,0
2001 1			8 2 1,5	2 ,	2 0,0 8 8,0
2001 15			10 2 1,5	27,2	2 7,0 71,0
2001 1			12 2 1,5	2 ,2	5 ,0 1.0 5,0
2001 17			1 2 1,5	2,7	72,0 1.2 1,0
2001 18			20 2 1,5	5,5	587,0 1. 2,0
2001 1			2 2 1,5	,1	702,0 1. 2,0

200 1			1 2 2,5	1 ,7	55,0 207,0
200 17			2 2 2,5	20,0	10 ,0 01,0
200 18			2 2,5	22,1	200,0 8,0
200 1			2 2,5	27,5	2 ,0 ,0
200 20			8 2 2,5	2 ,1	,0 70,0
200 21			10 2 2,5	1,7	1,0 720,0
200 22			12 2 2,5	,1	58 ,0 8 1,0
200 2			1 2 2,5	8,1	777,0 1.017,0
200 2			20 2 2,5	2,	71,0 1. 01,0
200 25			2 2 2,5	5,	1.1 ,0 1. 17,0